

09/21, 936

05

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S2	30	cisco.as. and address adj registration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 13:31
S3	21559554	@ad<"20010802" or @rlad<"20010802"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:35
S22	20457702	@ad<"20001206" or @rlad<"20001206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:36
S23	14753	S22 and network adj management	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:04
S24	394	S23 and topology with (map or mapping or mapped)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:04
S25	227	S24 and router and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:05
S26	4	S25 and (lmi or elmi or ilmi or local adj management adj interface)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:44

EAST Search History

✓ S27	104	S22 and (lan or local adj area adj network) near3 management adj system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:47
✓ S28	1	S27 and (wan or wide adj area adj network) near3 management adj system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:45
✓ S29	41	S22 and (lan or local adj area adj network) adj management adj system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:58
✓ S30	9	S29 and router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 16:48
✓ S31	4	S22 and (wan or wide adj area adj network) adj management adj system	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 17:00
✓ S32	1	S22 and (wan or wide adj area adj network) adj management adj system and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 17:01
✓ S33	442	S22 and network adj management adj system with switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/31 17:03

EAST Search History

S34	6	S33 and address adj registration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:34
S35	352	elmi or enhanced adj local adj management adj interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:39
S37	21588268	@ad<"20010802" or @rlad<"20010802"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:35
S38	205	S37 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:35
S39	20457849	@ad<"20001206" or @rlad<"20001206"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:36
S40	198	S39 and S35	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:38
S41	31	elmi-\$.in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:36

EAST Search History

S42	179	S40 not S41	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:38
S43	9	S42 and ("370" or "455" or "709"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 07:38
S44	0	enhanced adj local adj management adj interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 08:00
S45	226	local adj management adj interface	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 08:01
S46	157	S45 and S37	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 08:01
S47	152	S45 and S39	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 09:59
S48	74	S46 and router and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 08:02

EAST Search History

✓	S49	71	S47 and router and switch	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 08:40
✓	S50	12	("20020055988" "5742668" "5781532" "5850391" "5901352" "5949773" "6148337" "6286049" "6426944" "6438612" "6587433" "6798785").PN. OR ("7263106").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 08:21
✓	S51	18	S49 and address adj registration	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 08:41
✓	S52	18	("5761192" "5796736" "5831975" "5831982" "5854899" "5872773" "5963555" "6002674" "6028863" "6078586" "6111881" "6141322" "6212164" "6487168" "6552999" "6563811" "6577607" "6724756").PN. OR ("6952400"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 08:45
✓	S53	47	("5400325" "5408469" "5436898").PN. OR ("5796736"). URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2007/11/01 09:01
	S54	89	S39 and network near2 topology near2 discovery	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 10:04
✓	S55	54	S54 and switch and router	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/11/01 10:04

Web Images Video News Maps Gmail more ▼

09/921,936 05

Sign in

Google

enhanced local management interface

Search

Advanced Search
Preferences

Web Results 1 - 10 of about 6,430,000 for enhanced local management interface. (0.21 seconds)

Cisco IOS Quality of Service Solutions Configuration Guide ...

Enabling **Enhanced Local Management Interface** (Optional) Figure 10

Enhanced Local Management Interface—Sent Between the Cisco Switch and the Cisco ...

www.cisco.com/en/US/docs/ios/12_1/qos/configuration/guide/qcdfmts.html - 86k -

Cached - [Similar pages](#)

Enhanced ATM Port Adapter (ATM PA-A3) [Cisco Port Adapters ...

1-port ATM OC-3c/ST-1 multimode port adapter, **enhanced** ATM Forum Interim **Local Management Interface** (ILMI) for address prefix acquisition and ATM ...

www.cisco.com/en/US/products/hw/modules/

ps2033/products_data_sheet09186a0080091d75.html - 120k - [Cached](#) - [Similar pages](#)

[[More results from www.cisco.com](#)]

O'Reilly - Safari Books Online - 1587051168 - Cisco Frame Relay ...

Download "Frame Relay **Enhanced Local Management Interface** (ELMI)" Frame

Relay **Enhanced Local Management Interface** (ELMI) ...

safari.oreilly.com/1587051168/ch13 - [Similar pages](#)

Cisco Feature Navigator - Cisco Systems

Enhanced Local Management Interface (ELMI), ELMI enables automated exchange of Frame Relay QoS parameter information between the Cisco router and the Cisco ...

tools.cisco.com/ITDIT/CFN/Dispatch?act=featdesc&task=display&featureId=197 - 13k

- [Cached](#) - [Similar pages](#)

[PDF] SonicOS **Enhanced** 3.8 TZ 180/180W Release Notes

File Format: PDF/Adobe Acrobat - [View as HTML](#)

the LAN **interface** or the WAN **interface** is configured for **management** access, except when upgrading. from SonicOS Standard to SonicOS **Enhanced**. ...

sonicwall.com/downloads/SonicOS_Enhanced_3.8_TZ_180_Release_Notes.pdf -

[Similar pages](#)

Enomalism : XEN Virtualized Server **Management** Console: Home

Enhanced Disk Management. • Resize volume groups (VG) online by ... tool kit for the **management** and migration of virtual images between your local enomalism ...

www.enomalism.com/ - 43k - [Cached](#) - [Similar pages](#)

Intelligent Platform **Management Interface** - Wikipedia, the free ...

The Intelligent Platform **Management Interface** (IPMI) specification defines ... IPMI can also function when the OS has started, and offers **enhanced** features ...

en.wikipedia.org/wiki/Intelligent_Platform_Management_Interface - 21k -

[Cached](#) - [Similar pages](#)

[PDF] An **Enhanced** Socket **Interface** for Next Generation Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)

efficiently an **enhanced** socket **interface** (ESI) is proposed. Also, with the help of a

Web Images Video News Maps Gmail more ▼

09/21, 936 09

[Sign in](#)

Google

elmi cisco

Search

[Advanced Search](#)
[Preferences](#)

Web

Results 1 - 10 of about 17,000 for elmi cisco. (0.14 seconds)

Frame Relay **ELMI** Address Registration

✓ The **Cisco** Frame Relay MIB has been enhanced to support the new **ELMI** information. The NMS uses the MIB to extract the IP address and ifIndex of devices ...
www.cisco.com/univercd/cc/td/doc/product/software/ios121/121newft/121t/121t3/dtfrpar.htm - 47k - [Cached](#) - [Similar pages](#)

IGX 8400: The Foundation of Next Generation Wide-Area Networks ...

✓ An Enhanced Local Management Interface (**ELMI**) also enables automatic Frame Relay traffic shaping parameter configuration on **Cisco** routers, saving time, ...

www.cisco.com/en/US/products/hw/switches/ps988/prod_brochure09186a00800922ea.html - 42k - [Cached](#) - [Similar pages](#)

[[More results from www.cisco.com](#)]

Cisco Feature Navigator - Cisco Systems

✓ Enhanced Local Management Interface (**ELMI**), **ELMI** enables automated exchange of Frame Relay QoS parameter information between the **Cisco** router and the **Cisco** ...
tools.cisco.com/ITDIT/CFN/Dispatch?act=featdesc&task=display&featureId=197 - 13k - [Cached](#) - [Similar pages](#)

Cisco Feature Navigator - Cisco Systems

✓ Frame Relay **ELMI** Address Registration, Address Registration for Neighbor discovery over FR interfaces ... 1992-2004 **Cisco** Systems, Inc. All rights reserved. ...

tools.cisco.com/ITDIT/CFN/Dispatch?act=featdesc&task=display&featureId=528 - 13k - [Cached](#) - [Similar pages](#)

[[More results from tools.cisco.com](#)]

Frame Relay Commands (class through frame-relay de-list)

Configures the IP address to be used for **ELMI** address registration. frame-relay qos-autosense. Enables **ELMI** on the **Cisco** router. ...

cio.cisco.com/univercd/cc/td/doc/product/software/ios122/122cgcr/fwan_r/frcmds/wrffr1.htm - 139k - [Cached](#) - [Similar pages](#)

[PDF] Numerics A

File Format: PDF/Adobe Acrobat - [View as HTML](#)

configuring, 360-366. inability to obtain, 356. **ELMI** (**Cisco** Frame Relay Enhanced LMI). CH01.book Page 651 Tuesday, February 17, 2004 8:05 AM ...

www.ciscopress.com/content/images/1587051168/index/1587051168index.pdf - [Similar pages](#)

O'Reilly - Safari Books Online - 1587051168 - Cisco Frame Relay ...

This section also introduces the related **Cisco** IOS show and debug commands for monitoring and maintaining Frame Relay **ELMI** configurations on a **Cisco** router. ...

safari.oreilly.com/1587051168/ch13lev1sec3 - [Similar pages](#)

[O'Reilly - Safari Books Online - 1587051168 - Cisco Frame Relay ...](#)



09/21.936 OS

Worldwide [change]

L

Solutions

Products & Services

Ordering

Support

Training & Events

Search

All Cisco.com Products & Services Support

Powered by Google™

Search

Worldwide Site only (or choose a country's homepage)

[Advanced Options](#) | [Help](#)

Search for: elmi

Search

Results for: elmi

Within: "All Cisco.com"

[Log in](#) to see entitled results.
(About Entitlement)

1 - 20 of about 314 results

[Next >](#)**Frame Relay ELMi Address Registration [Cisco IOS Software Releases 12.1 T]**

... Cisco IOS Software Releases 12.1 T. Frame Relay ELMi Address Registration. Downloads.

Frame Relay ELMi Address Registration. ... Frame Relay ELMi Address Registration ...

08 Sep 2002 | [/en/US/products/sw/iosswrel/ps1834/products_feature_guide09186a0080801c1.html](#)**Cisco IOS Wide-Area Networking Command Reference, Release 12.4 - Wide-Area Networking Commands: frame-relay adaptive-shaping through frame-relay lapf t203 [Cisco IOS Software Releases 12.4 Mainline]**

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

09 Jan 2007 | [/en/US/products/ps6350/products_command_reference_chapter09186a00804474e7.html](#)**Cisco IOS Wide-Area Networking Command Reference, Release 12.4T - Wide-Area Networking Commands: frame-relay adaptive-shaping through frame-relay lapf t203 [Cisco IOS Software Releases 12.4 T]**

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

02 Jul 2007 | [/en/US/products/ps6441/products_command_reference_chapter09186a00804a9b5f.html](#)**Cisco IOS Wide-Area Networking Command Reference, Release 12.3 T - Wide-Area Networking Commands: frame-relay adaptive-shaping through frame-relay lmi-type [Cisco IOS Software Releases 12.3 T]**

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

09 Jan 2007 | [/en/US/products/sw/iosswrel/ps5207/products_command_reference_chapter09186a00801a7f4b.html](#)**Cisco IOS Wide-Area Networking Command Reference, Release 12.2 SR - Wide-Area Networking Commands: frame-relay accounting adjust through frame-relay local-dlci [Cisco IOS Software Releases 12.2 SR]**

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

01 Mar 2007 | [/en/US/products/ps6922/products_command_reference_chapter09186a00806c1023.html](#)**Cisco IOS Wide-Area Networking Command Reference, Release 12.2SX - Wide-Area Networking Commands: frame-relay accounting adjust through frame-relay lapf n200 [Cisco IOS Software Releases 12.2 SX]**

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

21 Aug 2007 | [/en/US/products/ps6017/products_command_reference_chapter09186a0080878e7a.html](#)**Cisco IOS Wide-Area Networking Command Reference, Release 12.3 - Wide-Area Networking Commands: forward through frame-relay lmi-type [Cisco IOS Software Releases 12.3 Mainline]**

... To enable a router to automatically select a management IP address for Enhanced

Local Management Interface (ELMI) address registration, use the frame-relay ...

03 Nov 2007 | [/en/US/docs/ios/12_3/wan/command/reference/wan_fig.html](#)**Ethernet Local Management Interface**

... Ethernet LMI events debugging is on. Ethernet LMI packets hex debugging is on.

00:29:32: ELMi Et0/0 EVENT: ce_event: State 0x0, Event 0x4. ...

01 Mar 2007 | [/en/US/products/ps6441/products_feature_guide09186a0080690f2d.html](#)**Cisco IOS Carrier Ethernet Configuration Guide, Release 12.4T - Ethernet Local Management Interface [Cisco IOS Software Releases 12.4 T]**

... Ethernet LMI events debugging is on. Ethernet LMI packets hex debugging is on.

00:29:32: ELMi Et0/0 EVENT: ce_event: State 0x0, Event 0x4. ...

19 Jul 2007 | [/en/US/products/ps6441/products_configuration_guide_chapter09186a008082d7d8.html](#)

09/021, 936 05

Yahoo! Mail Welcome, Guest [Sign In] Help

Web Images Video Local Shopping more

"elmi protocol"

Options

1-10 of 50 for " elmi protocol " (About) - 0.02 sec

1. Configuring Frame Relay

Enabling Frame Relay Encapsulation on an Interface. Configuring Dynamic or ... among Cisco switches and routers in a network using the **ELMI protocol**. ... cisco.com/univercd/cc/.../software/ios122/122cgcr/fwan_c/wcfrfely.htm - 402k - Cached

2. Cisco IOS Wide-Area Networking Configuration Guide, Release 12.4

Adaptive Frame Relay Traffic Shaping for Interface Congestion. Frame Relay 64 ... among Cisco switches and routers in a network using the **ELMI protocol**. ... cisco.com/en/US/products/ps6350/products_configuration_guide_chapte... - 410k - Cached

3. Vendors push Ethernet OAM as standards mature

To help carriers offer stringent quality of service and strict service level agreements for Ethernet service, ... Forum's **ELMI protocol** for automatic ... telephonyonline.com/ethernet/news/vendors_ethernet_oam_092506 - 95k - Cached

4. Cisco SNMP Object Navigator

... only if the device supports **ELMI protocol** and if LMI is enabled on ... Link Management Interface(**ELMI**) **protocol** is enabled or not on a frame relay ... tools.cisco.com/Support/SNMP/do/BrowseMIB.do?local=en&step=2&... - 181k - Cached

5. Cisco SNMP Object Navigator

... only if the device supports **ELMI protocol** and if LMI is enabled on ... Enhanced Link Management Interface(**ELMI**) **protocol** is enabled or not on a frame ... tools.cisco.com/Support/SNMP/do/BrowseMIB.do?local=en&... - 240k - Cached

6. Update to the Cisco WAN Switch Command Reference Guide

Feature Mismatching to Verify VSI Support. Resource Partitioning ... The **ELMI protocol** enhancements for the UFM serves the same purpose as the ILMI ... pluscom.ru/cisco_product/.../wanbu/bpx8600/9_3_1/update/udcmdref.htm - 525k - Cached

7. New Feature Descriptions

AutoInstall Using DHCP for LAN Interfaces (CSCdr88175) Baseline Privacy Interface MIB ... CEF Support for IP Routing Between IEEE 802.1Q VLANs ... noc.caravan.ru/ciscocd/cc/td/.../ios122/122relnt/xprn122/122newf.htm - 392k

8. source.altinity.org/source/mibs/CISCO-FRAME-RELAY-MIB-V1SMI.my

... is accessible only if the **ELMI protocol** is supported on the device" ... whether Enhanced Link Management Interface(**ELMI**) **protocol** is enabled or not on a ... source.altinity.org/source/mibs/CISCO-FRAME-RELAY-MIB-V1SMI.my - 64k

9. Release Notes for Cisco WAN Manager 10.4.10 Patch 4.0 for Solaris

Table Of Contents. Release Notes for Cisco WAN Manager 10.4.10 ... New Features and Enhancements in CWM Release ... Procedure to Change the SNMP ... pluscom.ru/cisco_product/cc/td/doc/product/.../10/notes/10410p4.htm - 524k

10. Exam: 642-642 Title : Quality of Service (QOS) Ver : 08.10.04 (PDF)

The total number of questions is 261. ... the switch over the **ELMI protocol**. Source: Cisco IP QoS Traffic Shaping and Policing, Page 4-58 ... net130.com/attestation/bible/ccip/other/ActualTest/... - 3830k

Web Images Video News Maps Gmail more ▼

09/21, 936 OS

Sign in

Google

"ilmi specification"

Search

Advanced Search
Preferences

Web

Results 1 - 10 of about 547 for "ilmi specification" . (0.18 seconds)

Integrated Local Management Interface (ILMI) Specification Version ...

Syntax Notation One ASN. ASN. defined by the Structure of Management Information SMI SMI In particular, each object has a name, a syntax, and an encoding.
citeseer.ist.psu.edu/229963.html - 22k - [Cached](#) - [Similar pages](#)

ATM Traffic Management Specification Version - Forum (ResearchIndex)

ATM Integrated Local Management Interface (ILMI) Specification Version 4.0. ATM Forum Technical Committee, September 1996. ...
citeseer.ist.psu.edu/article/forum96atm.html - 18k - [Cached](#) - [Similar pages](#)

[PDF] Integrated Local Management Interface (ILMI) Specification Version 4.0

File Format: PDF/Adobe Acrobat - [View as HTML](#)

ILMI Specification Version 4.0. Page ii. ATM Forum Technical Committee ILMI Specification that is supported on this ATM Interface. ...
www.ipmplsforum.org/ftp/pub/approved-specs/af-ilmi-0065.000.pdf - [Similar pages](#)

RFC 2601 (rfc2601) - ILMI-Based Server Discovery for ATMARP

The ILMI specification designates the switch side of the ATM link as the 'network side' and the host/router side of the ATM link as the 'user side'. ...
www.faqs.org/rfcs/rfc2601.html - 14k - [Cached](#) - [Similar pages](#)

[PDF] Network Working Group M. Davison

File Format: PDF/Adobe Acrobat - [View as HTML](#)

The ILMI specification designates the switch side of the ATM link as ... Forum in ILMI Specification Version 4.0 [2]. To support the existing ...
faqs.org/ftp/rfc/pdf/rfc2603.txt.pdf - [Similar pages](#)
[[More results from faqs.org](#)]

Implementation of ILMI over SNMPv1 - Communication Technology ...

As described in ILMI specification, one VCC is used for sending AALS- ... According to the ILMI specification version 4.0, the ILMI procedures can be ...
ieeexplore.ieee.org/iel4/5969/15976/00741277.pdf?tp=&arnumber=741277&isnumber=15976 - [Similar pages](#)

Internet-Draft Mike Davison Cisco Systems May 15, 1998 ILMI-Based ...

ILMI 4.0 Service Registry MIB Server discovery utilizes the Service Registry MIB defined by the ATM Forum in ILMI Specification Version 4.0 [2]. ...
www3.ietf.org/proceedings/98aug/I-D/draft-ietf-ion-discov-mars-01.txt - 11k - [Cached](#) - [Similar pages](#)

[PDF] TRIAL DISCLOSURE OF ASYNCHRONOUS TRANSFER MODE (ATM) USER-TO ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

2.4 Interim Local Management Interface (ILMI) Specification. 6. Appendix A. 7. References. 7. Appendix B. 8. List of Terms and Acronyms ...
about.telus.com/publicpolicy/pdf/id-0018.pdf - [Similar pages](#)

09/921,936 05

Web Images Video News Maps Gmail more ▼

Sign in

Google

"enhanced local management interface" -cisco

Search

Advanced Search
Preferences

Web Results 1 - 10 of about 39 for "**enhanced local management interface**" -cisco. (0.42 seconds)

[PDF] GLOSARIO SIGLAS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

✓ **Enhanced Local Management Interface.** EOM.....End of Message.

EOT.....End of Transmission. EPD..... Early Packet Discard ...

globaldatainternational.com/whitepaper/Siglas.pdf - [Similar pages](#)

Total Telecom

✓ **ELMIEnhanced Local Management Interface.** EMA1. Enterprise Management

Architecture Digital Equipment Corporation network management architecture, ...

www.totaltele.com/Glossary.aspx?Alpha=E - [Similar pages](#)

TermE

Enhanced Local Management Interface. EMA. Enterprise Management

Architecture. Digital Equipment Corporation network management architecture, ...

www.comm-sult.com/tg_folder/TelGlosE.htm - 26k - [Cached](#) - [Similar pages](#)

10.10.5 [E] - [[Translate this page](#)]

ELMI, Enhanced Local Management Interface, Улучшенный интерфейс

локального управления. ELMS, Extended Lan Management Software, Программное обеспечение для ...

book.itep.ru/10/abbr/e.htm - 33k - [Cached](#) - [Similar pages](#)

10.10.5 [E] - [[Translate this page](#)]

Enhanced Local Management Interface. Улучшенный интерфейс локального

управления. ELMS. Extended Lan Management Software ...

mirrors.smt.n.stavropol.ru/book/10/abbr/e.htm - 50k - [Cached](#) - [Similar pages](#)

KINX-IDC // (주)케이아이엔엑스 - [[Translate this page](#)]

Enhanced Local Management Interface(향상된 로컬 관리 인터페이스)의 약어.

[EMA] 1. Enterprise Management Architecture(엔터프라이즈 관리 아키텍처)의 약어.

...

www.kinx-idc.net/support/network_dictionary.

asp?page=11&strSearchText=oc&strSection=A - 25k - [Cached](#) - [Similar pages](#)

KINX-IDC // (주)케이아이엔엑스 - [[Translate this page](#)]

Enhanced Local Management Interface(향상된 로컬 관리 인터페이스)의 약어.

[encapsulation bridging(캡슐화 브리징)] 시리얼 라인이나 FDDI 라인과 같은 전혀 다른

...

www.kinx-idc.net/support/network_dictionary.

asp?page=19&strSearchText=ca&strSection=A - 27k - [Cached](#) - [Similar pages](#)

[[More results from www.kinx-idc.net](#)]

ELMI - Definitions from Dictionary.com

Enhanced Local Management Interface. The American Heritage® Abbreviations

Dictionary, Third Edition Copyright © 2005 by Houghton Mifflin Company. ...

dictionary.reference.com/browse/ELMI - 17k - [Cached](#) - [Similar pages](#)